



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PH2MW'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this sixth day of November, in the year two thousand one.

Attest:



Paul M. Jacobson

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Stephen Nobel Jr.

Secretary of Agriculture

Stephen Nobel Jr.
App. No. 10/768,436

REF
A7

BEST AVAILABLE COPY

9900382

990322

REPRODUCE LOCALLY. Include form number and date on all reproductions.

FORM APPROVED - OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICEAPPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2429).

1. NAME OF OWNER Pioneer Hi-Bred International, Inc.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER		3. VARIETY NAME PH2MW	
4. ADDRESS (Street and No. or RFD No., City, State and Zip Code, and Country) 7301 NW 62nd Avenue P.O. Box 85 Johnston, IA 50131-0085		5. TELEPHONE (Include area code) 515/270-4051		FOR OFFICIAL USE ONLY PVPO NUMBER 8/6/99 FILING DATE 8/6/99	
		6. FAX (Include area code) 515/253-2125			
7. IF THE OWNERNAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.) Corporation		8. IF INCORPORATED, GIVE STATE OF INCORPORATION IOWA		9. DATE OF INCORPORATION May 6, 1926	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION (FIRST PERSON LISTED WILL RECEIVE ALL PAPERS) Steven R. Anderson Research and Product Development P.O. Box 85 Johnston, IA 50131-0085				F E E S FILING & EXAMINATION FEES: \$ 2450.00 DATE 8-6-99 C E R T I F I C A T I O N CERTIFICATION FEE: \$ 320.00 DATE 9/28/01	
11. TELEPHONE (Include area code) 515/270-4051		12. FAX (Include area code) 515/253-2125		13. E-MAIL ANDERSONS@PHIBRED.COM	
14. CROP KIND NAME (Common name) Corn		15. GENUS AND SPECIES NAME OF CROP Zea Mays		16. FAMILY NAME (Botanical) Gramineae JRM 3/1/01	
17. IS THE VARIETY A FIRST GENERATION HYBRID? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse) a. <input checked="" type="checkbox"/> Exhibit A. Origin and Breeding History of the Variety b. <input checked="" type="checkbox"/> Exhibit B. Statement of Distinctness c. <input checked="" type="checkbox"/> Exhibit C. Objective Description of the Variety d. <input checked="" type="checkbox"/> Exhibit D. Additional Description of the Variety (Optional) e. <input checked="" type="checkbox"/> Exhibit E. Statement of the Basis of the Owner's Ownership f. <input checked="" type="checkbox"/> Voucher Sample (2500 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository) g. <input checked="" type="checkbox"/> Filing and Examination Fee (\$2,450), made payable to "Treasurer of the United States" (Mail to Plant Variety Protection Office)			
19. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? See Section 83(a) of the Plant Variety Protection Act <input type="checkbox"/> YES (If "yes", answer Items 20 and 21 below) <input checked="" type="checkbox"/> NO (If "no", go to Item 22)		20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> YES <input type="checkbox"/> NO			
21. IF "YES" TO ITEM 20, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED		22. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.)			
23. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U.S. OR OTHER COUNTRIES? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse) United States Nov. 1, 1998					
24. The owner(s) declares that a viable sample of basic seed of the variety will be furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate. The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Owner(s) is(are) informed that false representation herein can jeopardize protection and results in penalties.					
SIGNATURE OF OWNER Steven R. Anderson		SIGNATURE OF OWNER Steven R. Anderson			
NAME (Please print or type) Steven R. Anderson		NAME (Please print or type) Steven R. Anderson			
CAPACITY OR TITLE Senior Research Associate		CAPACITY OR TITLE Senior Research Associate		DATE 7-29-99	

INSTRUCTIONS

9900382 99003-?

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed Exhibits A,B,C,E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in a approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office

Telephone: (301)504-5518

FAX: (301)504-5291

Homepage: <http://www.ams.usda.gov/science/pvp.htm>

ITEM

- 18a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) evidence of uniformity and stability; and (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified.
 - 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties: (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and (3) submit, if helpful, seed and plant specimens of photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
 - 18c. Exhibit C forms are available from the PVPO for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
 - 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant disease resistance, etc.
 - 18e. Section 52(5) of the Act required applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant may NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, applicant may change the choice. (See Regulations and Rules of Practice, Section 7.103).
 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
-
22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
-
23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).
-

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant should check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instruction, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7830, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0561-0035 and form number in your letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

SAT-470 (06-98) DESIGNED BY THE Plant Variety Protection Office with WordPerfect 5.0a. Replaces STD-470 (03-96) which is obsolete. (See reverse for instructions and information collection burden statement)

Exhibit A. Origin and Breeding History

Pedigree: PHGG6/PHAW6)X12122X

Pioneer Line PH2MW, Zea mays L., a dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PHGG6 X PHAW6 (PVP Certificate No. 9300104) using the pedigree method of plant breeding. Varieties PHGG6 and PHAW6 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the segregating population from the above hybrid for 7 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Princeton, Illinois as well as other United States Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

PHGG6

Variety PHGG6 was derived by pedigree selection from a single cross hybrid PHPO2 (PVP Certificate No. 8800212) X PHR03 (PVP Certificate No. 9100097).

Variety PH2MW has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 5 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability for a minimum of 3 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and electrophoretically using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH2MW.

The criteria used in the selection of PH2MW were yield, both per se and in hybrid combinations; late season plant health, grain quality, stalk lodging resistance, and kernel size, especially important in production. Other selection criteria include: ability to germinate in adverse conditions; number of tillers, especially important in production because having numerous tillers increases hybrid production costs spent on detasseling; disease and insect resistance; pollen yield tassel size, ear size, uniformity, plant height and ear height.

9900382

Exhibit A: Developmental history for PH2MW

Season/Year Pedigree Grown	Inbreeding Level of Pedigree Grown
1/92 PHGG6, PHAW6	F0
2/92 PHGG6/PHAW6	F1
1/93 PHGG6/PHAW6)X	F2
1/94 PHGG6/PHAW6)X1	F3
2/94 PHGG6/PHAW6)X12	F4
1/95 PHGG6/PHAW6)X121	F5
2/95 PHGG6/PHAW6)X1212	F6
1/96 PHGG6/PHAW6)X12122	F7
2/96 PHGG6/PHAW6)X12122X	F8 Bulk increase for transfer to SM

*PH2MW was selfed and ear-rowed from F3 through F7 generation.

#Uniformity and stability were established from F6 through F8 generation and beyond when seed supplies were increased.

9900382

Exhibit B. Novelty Statement

Variety PH2MW mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PHAW6 (PVP Certificate No. 9300104). The data in Tables 1A and 1B are from paired comparisons collected primarily in Johnston and Ankeny, IA. The data in Table 2 are from paired comparisons at multiple locations grown primarily in the adapted growing area of PH2MW. The traits collectively show measurable differences between the two varieties.

Variety PH2MW has a lower number of ear rows (14.4 rows vs 16.8 rows) than PHAW6. (Table 1A, 1B).

Variety PH2MW has longer husk length (23.2 cm vs 20.3 cm) than PHAW6. (Table 1A, 1B).

Variety PH2MW has longer kernel width (8.3 mm vs 7.3 mm) than PHAW6. (Table 1A, 1B).

Variety PH2MW has longer leaf width (10.5 cm vs 8.5 cm) than PHAW6. (Table 1A, 1B).

Variety PH2MW has taller plant height (PLTHT) (245.1 cm vs 201.4 cm) than PHAW6. (Table 2).

A t-test was used to compare differences between means and the appropriate parameters have been included. Due to the way our historical data has been stored, it is difficult to obtain standard deviations for table 2.

3/13
8/24/01

Exhibit B Novelty Statement Tables

Table 1A. These data indicate differences between varieties PH2MW and PHAW6. Data are from Johnston and Ankeny, Iowa at 3 environments in 1998. A t-test was used to compare differences between means. Five plants were measured at each location.

Station	Loc	Year	Trait	Variety	Count	Mean	Mean	Mean	StdDev	StdDev	StdDev	StdError	StdError	DF	t-Value	Prob (2-tail)
AD	20N	1998	ear row number	PH2MW	5	14.8	16.0	-1.2	1.095	0.000	0.490	0.000	0.000	8	-2.45	0.040
IT	NF	1998	ear row number	PH2MW	5	14.8	17.2	-2.4	1.095	1.095	0.490	0.490	0.490	8	-3.46	0.009
JH	95	1998	ear row number	PH2MW	5	13.6	17.2	-3.6	1.673	2.280	0.748	1.020	1.020	8	-2.85	0.022
AD	20N	1998	husk length (cm)	PH2MW	5	22.8	20.0	2.8	1.643	1.225	0.735	0.548	0.548	8	3.06	0.016
IT	NF	1998	husk length (cm)	PH2MW	5	24.2	20.8	3.4	2.775	0.447	1.241	0.200	0.200	8	2.70	0.027
JH	95	1998	husk length (cm)	PH2MW	5	22.6	20.2	2.4	1.140	1.483	0.510	0.663	0.663	8	2.87	0.021
AD	20N	1998	kernel width (mm)	PH2MW	5	8.4	7.6	0.8	0.548	0.548	0.245	0.245	0.245	8	2.31	0.050
IT	NF	1998	kernel width (mm)	PH2MW	5	8.2	7.2	1.0	0.837	0.447	0.374	0.200	0.200	8	2.36	0.046
JH	95	1998	kernel width (mm)	PH2MW	5	8.2	7.2	1.0	0.447	0.447	0.200	0.200	0.200	8	3.54	0.008
AD	20N	1998	leaf width (cm)	PH2MW	5	10.2	8.2	2.0	0.447	0.447	0.200	0.200	0.200	8	7.07	0.000
IT	NF	1998	leaf width (cm)	PH2MW	5	11.2	8.8	2.4	0.447	0.447	0.200	0.200	0.200	8	8.49	0.000
JH	95	1998	leaf width (cm)	PH2MW	5	10.0	8.4	1.6	0.707	0.548	0.316	0.245	0.245	8	4.00	0.004

9900382

7

year	Trait	variety-1	variety-2	Count	Mean-1	Mean-2	Mean-Diff	SidDev-1	SidDev-2	SidError-1	SidError-2	DF-Pooled	t-Value-Pooled	Prob (2-tail)	
1998	ear row number	PH2MW	PHAW6	15	15	14.4	16.8	2.4	1.352	1.474	0.348	0.380	28	-4.65	0.000
1998	husk length (cm)	PH2MW	PHAW6	15	15	23.2	20.3	2.9	1.971	1.113	0.509	0.287	28	4.90	0.000
1998	kernel width (mm)	PH2MW	PHAW6	15	15	8.3	7.3	0.9	0.594	0.488	0.153	0.126	28	4.70	0.000
1998	leaf width (cm)	PH2MW	PHAW6	15	15	10.5	8.5	2.0	0.743	0.516	0.192	0.133	28	8.56	0.000

year	Trait	variety-1	variety-2	Count	Mean-1	Mean-2	Mean-Diff	SidDev-1	SidDev-2	SidError-1	SidError-2	DF-Pooled	t-Value-Pooled	Prob (2-tail)	
1998	ear row number	PH2MW	PHAW6	15	15	14.4	16.8	2.4	1.352	1.474	0.348	0.380	28	-4.65	0.000
1998	husk length (cm)	PH2MW	PHAW6	15	15	23.2	20.3	2.9	1.971	1.113	0.509	0.287	28	4.90	0.000
1998	kernel width (mm)	PH2MW	PHAW6	15	15	8.3	7.3	0.9	0.594	0.488	0.153	0.126	28	4.70	0.000
1998	leaf width (cm)	PH2MW	PHAW6	15	15	10.5	8.5	2.0	0.743	0.516	0.192	0.133	28	8.56	0.000

9900382

Exhibit B. Novelty Statement Tables

Table 2. These data indicate differences between varieties PH2MW and PHAW6. Data are from multiple locations and years grown primarily in the adapted growing area.

Variety 1 = PH2MW

Variety 2 = PHAW6

	VAR	PLT
YEAR	#	HT
		ABS
		CM
1996	1	
	2	
	LOCS	
	PROB	
1997	1	245.1
	2	195.6
	LOCS	4
	PROB	.001#
1998	1	245.1
	2	213.4
	LOCS	2
	PROB	.025+
TOTAL SUM	1	245.1
	2	201.4
	LOCS	6
	DIFF	43.7
	PROB	.000#

9900382

Exhibit C
(Corn Maize)

United States Department of Agriculture, Agricultural Marketing Service
Science Division, Plant Variety Protection Office
National Agricultural Library Building, Room 500
Beltsville, MD 20705

Objective Description of Variety
Corn (Zea mays L.)

Name of Applicant (s) Pioneer Hi-Bred International, Inc.	Variety Seed Source	Variety Name or Temporary Designation PH2MW																								
Address (Street & No., or RFD No., City, State, Zip Code and Country) 7301 NW 62nd Avenue, P.O. Box 85, Johnston, Iowa 50131-0085		FOR OFFICIAL USE PVP Number																								
Place the appropriate number that describes the varietal characters typical of this inbred variety in the spaces below. Right justify whole numbers by adding leading zeroes if necessary. Completeness should be striven for to establish an adequate variety description. Traits designated by an '*' are considered Necessary for an adequate variety description and must be completed.																										
COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices: describe #25 and #26 in Comments section):																										
01=Light Green 02=Medium Green 03=Dark Green 04=Very Dark Green 05=Green-Yellow	06=Pale Yellow 07=Yellow 08=Yellow Orange 09=Salmon 10=Pink-Orange	11=Pink 12=Light Red 13=Cherry Red 14=Red 15=Red & White 16=Pale Purple 17=Purple 18=Colorless 19=White 20=White Capped 21=Buff 22=Tan 23=Brown 24=Bronze 25=Variegated (Describe) 26=Other (Describe)																								
STANDARD INBRED CHOICES (Use the most similar (in background and maturity) of these to make comparisons based on grow-out trial data):																										
<table border="0"> <tr> <td>Yellow Dent Families:</td> <td>Yellow Dent (Unrelated):</td> <td>Sweet Corn:</td> </tr> <tr> <td>Family Members</td> <td>Co109, ND246,</td> <td>Cl3, Iowa5125, P39, 2132</td> </tr> <tr> <td>B14 CM105, A632, B64, B68</td> <td>Oh7, T232,</td> <td>Popcorn:</td> </tr> <tr> <td>B37 B37, B76, H84</td> <td>W117, W153R,</td> <td>SG1533, 4722, HP301, HP7211</td> </tr> <tr> <td>B73 N192, A679, B73, NC268</td> <td>W18BN</td> <td></td> </tr> <tr> <td>C103 Mo17, Va102, Va35, A682</td> <td></td> <td></td> </tr> <tr> <td>Oh43 A619, MS71, H99, Va26</td> <td>White Dent:</td> <td>Pipcorn:</td> </tr> <tr> <td>WF9 W64A, A554, A654, Pa91</td> <td>Cl66, H105, Kv228</td> <td>Mo15W, Mo16W, Mo24W</td> </tr> </table>			Yellow Dent Families:	Yellow Dent (Unrelated):	Sweet Corn:	Family Members	Co109, ND246,	Cl3, Iowa5125, P39, 2132	B14 CM105, A632, B64, B68	Oh7, T232,	Popcorn:	B37 B37, B76, H84	W117, W153R,	SG1533, 4722, HP301, HP7211	B73 N192, A679, B73, NC268	W18BN		C103 Mo17, Va102, Va35, A682			Oh43 A619, MS71, H99, Va26	White Dent:	Pipcorn:	WF9 W64A, A554, A654, Pa91	Cl66, H105, Kv228	Mo15W, Mo16W, Mo24W
Yellow Dent Families:	Yellow Dent (Unrelated):	Sweet Corn:																								
Family Members	Co109, ND246,	Cl3, Iowa5125, P39, 2132																								
B14 CM105, A632, B64, B68	Oh7, T232,	Popcorn:																								
B37 B37, B76, H84	W117, W153R,	SG1533, 4722, HP301, HP7211																								
B73 N192, A679, B73, NC268	W18BN																									
C103 Mo17, Va102, Va35, A682																										
Oh43 A619, MS71, H99, Va26	White Dent:	Pipcorn:																								
WF9 W64A, A554, A654, Pa91	Cl66, H105, Kv228	Mo15W, Mo16W, Mo24W																								

Ceres world data group 96ppp

9900382

EXHIBIT C: PH2MW

1. TYPE: (describe intermediate types in Comments section):			Standard Variety Name	
2 1=Sweet 2=Dent 3=Flint 4=Flour 5=Pop 6=Ornamental			MO17	
2. REGION WHERE DEVELOPED IN THE U.S.A.:			Standard Seed Source	
2 1=Northwest 2=Northcentral 3=Northeast 4=Southeast 5=Southcentral 6=Southwest 7=Other Central, Southeast			PI 558532	
3. MATURITY (In Region of Best Adaptability; show Heat Unit formula in 'Comments' section)			DAYS HEAT UNITS	
DAYS HEAT UNITS			DAYS HEAT UNITS	
075	1,459.6	From emergence to 50% of plants in silk	076	1,457.0
076	1,478.4	From emergence to 50% of plants in pollen	073	1,392.8
002	0,053.4	From 10% to 90% pollen shed	003	0,078.8
		From 50% silk to optimum edible quality		
074	1,453.8	From 50% silk to harvest at 25% moisture	073	1,431.0
4. PLANT:			Standard Sample	
			Deviation Size	
243.2	cm Plant Height (to tassel tip)	15.51 05	230.6	22.51 05
089.6	cm Ear Height (to base of top ear node)	19.65 05	092.0	16.54 05
016.6	cm Length of Top Ear Internode	02.23 05	017.3	01.34 05
0.0	Average Number of Tillers	00.02 05	0.0	00.01 05
1.4	Average Number of Ears per Stalk	00.55 05	1.0	00.00 05
4	Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark		1	
5. LEAF:			Standard Sample	
			Deviation Size	
10.3	cm Width of Ear Node Leaf	00.77 05	09.0	00.89 05
83.5	cm Length of Ear Node Leaf	04.61 05	75.2	09.93 05
06	Number of leaves above top ear	01.01 05	06	00.99 05
33	Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf)	08.76 05	33	10.61 05
03	Leaf Color (Munsell code) 5GY34		03	5GY34
1	Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like peach fuzz)		1	
6	Marginal Waves (Rate on scale from 1=none to 9=many)		7	
7	Longitudinal Creases (Rate on scale from 1=none to 9=many)		7	
6. TASSEL:			Standard Sample	
			Deviation Size	
09	Number of Primary Lateral Branches	01.14 05	06	00.70 05
25	Branch Angle from Central Spike	02.92 05	26	07.52 05
63.9	cm Tassel Length (from top leaf collar to tassel tip)	02.20 05	64.0	04.47 05
7	Pollen Shed (rate on scale from 0=male sterile to 9=heavy shed)		7	
14	Anther Color (Munsell code) 7.5R34		01	2.5GY88
01	Glume Color (Munsell code) 5GY56		01	5GY58
1	Bar Glumes (Glume Bands): 1=Absent 2=Present		1	
Application Variety Data			Standard Variety Data	

9900382

Application Variety Data

PH2MW

Page 2

Standard Variety Data

7a. EAR (Unhusked Data):

14	Silk Color (3 days after emergence) (Munsell code)	7.5R58	01	2.5GY86
02	Fresh Husk Color (25 days after 50% silking) (Munsell code)	5GY56	02	5GY68
21	Dry Husk Color (65 days after 50% silking) (Munsell code)	10YR92	21	2.5Y8.54
1	Position of Ear at Dry Husk Stage: 1=Upright 2=Horizontal 3=Pendant		2	
5	Husk Tightness (Rate of Scale from 1=very loose to 9=very tight)		5	
1	Husk Extension (at harvest): 1=Short (ears exposed) 2=Medium (<8 cm)		2	
	3=Long (8-10 cm beyond ear tip) 4=Very Long (>10 cm)			

7b. EAR (Husked Ear Data):

d. EAR (Husked Ear Data):			Standard	Sample	Standard	Sample
		Deviation	Size		Deviation	Size
<u>17.6</u>	cm Ear Length	<u>00.89</u>	<u>05</u>	<u>18.6</u>	<u>01.14</u>	<u>05</u>
<u>41.2</u>	mm Ear Diameter at mid-point	<u>01.48</u>	<u>05</u>	<u>36.6</u>	<u>00.55</u>	<u>05</u>
<u>130.4</u>	gm Ear Weight	<u>15.32</u>	<u>05</u>	<u>101.6</u>	<u>08.71</u>	<u>05</u>
<u>15</u>	Number of Kernel Rows	<u>00.55</u>	<u>05</u>	<u>11.0</u>	<u>00.00</u>	<u>05</u>
<u>2</u>	Kernel Rows: 1=Indistinct 2=Distinct			<u>2</u>		
<u>1</u>	Row Alignment: 1=Straight 2=Slightly Curved 3=Spiral			<u>1</u>		
<u>11.4</u>	cm Shank Length	<u>00.55</u>	<u>05</u>	<u>12.8</u>	<u>01.64</u>	<u>05</u>
<u>2</u>	Ear Taper: 1=Slight 2= Average 3=Extreme			<u>1</u>		

8. KERNEL (Dried)

KERNEL (Dried)	Standard	Sample	Standard	Sample
	Deviation	Size	Deviation	Size
<u>11.0</u> mm Kernel Length	<u>00.00</u>	<u>05</u>	<u>10.8</u> <u>00.45</u>	<u>05</u>
<u>08.0</u> mm Kernel Width	<u>00.00</u>	<u>05</u>	<u>08.6</u> <u>00.55</u>	<u>05</u>
<u>04.4</u> mm Kernel Thickness	<u>00.55</u>	<u>05</u>	<u>04.8</u> <u>00.45</u>	<u>05</u>
<u>39.4</u> % Round Kernels (Shape Grade)	<u>11.35</u>	<u>05</u>	<u>48.5</u> <u>15.01</u>	<u>05</u>
1 Aleurone Color Pattern: 1-Homozygous 2=Segregating			1	
<u>07</u> Aleurone Color (Munsell code)	<u>1.25Y812</u>		<u>07</u>	<u>10YR814</u>
<u>07</u> Hard Endosperm Color (Munsell code)	<u>1.25Y812</u>		<u>07</u>	<u>10YR714</u>
<u>03</u> Endosperm Type:			3	
1=Sweet (Su1) 2=Extra Sweet (sh2) 3=Normal Starch				
4=High Amylose Starch 5=Waxy Starch 6=High Protein				
7=High Lysine 8=Super Sweet (se) 9=High Oil				
10=Other				
<u>26.8</u> gm Weight per 100 Kernels (unsized sample)	<u>02.28</u>	<u>05</u>	<u>31.60</u> <u>02.07</u>	<u>05</u>

9. COB:

COB:		Standard	Sample		Standard	Sample
		Deviation	Size		Deviation	Size
<u>21.0</u> mm Cob Diameter at mid-point		<u>01.00</u>	<u>05</u>		<u>18.6</u>	<u>00.55</u> <u>05</u>
<u>14</u> Cob Color (Munsell code)	<u>10R38</u>				<u>14</u>	<u>2.5YR56</u>

Application Variety Data

Page 2

Standard Variety Data

/ /

10. DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant);
leave blank if not tested; leave Race or Strain Options blank if polygenic):

A. Leaf Blights, Wilts, and Local Infection Diseases

	Anthrachnose Leaf Blight (<i>Colletotrichum graminicola</i>)	
7	Common Rust (<i>Puccinia sorghi</i>)	6
	Common Smut (<i>Ustilago maydis</i>)	
	Eyespot (<i>Kabatiella zeae</i>)	
	Goss's Wilt (<i>Clavibacter michiganense</i> spp. <i>nebraskense</i>)	
4	Gray Leaf Spot (<i>Cercospora zeae-maydis</i>)	4
	Helminthosporium Leaf Spot (<i>Bipolaris zeicola</i>) Race _____	
7	Northern Leaf Blight (<i>Exserohilum turcicum</i>) Race _____	7
	Southern Leaf Blight (<i>Bipolaris maydis</i>) Race _____	
6	Southern Rust (<i>Puccinia polysora</i>)	3
8	Stewart's Wilt (<i>Erwinia stewartii</i>)	7
	Other (Specify) _____	

B. Systemic Diseases

	Corn Lethal Necrosis (MCMV and MDMV)	
6	Head Smut (<i>Sphacelotheca reiliana</i>)	9
	Maize Chlorotic Dwarf Virus (MDV)	
	Maize Chlorotic Mottle Virus (MCMV)	
5	Maize Dwarf Mosaic Virus (MDMV)	3
	Sorghum Downy Mildew of Corn (<i>Peronosclerospora sorghi</i>)	
	Other (Specify) _____	

C. Stalk Rots

5	Anthrachnose Stalk Rot (<i>Colletotrichum graminicola</i>)	3
	Diplodia Stalk Rot (<i>Stenocarpella maydis</i>)	
	Fusarium Stalk Rot (<i>Fusarium moniliforme</i>)	
	Gibberella Stalk Rot (<i>Gibberella zeae</i>)	
	Other (Specify) _____	

D. Ear and Kernel Rots

	Aspergillus Ear and Kernel Rot (<i>Aspergillus flavus</i>)	
5	Diplodia Ear Rot (<i>Stenocarpella maydis</i>)	3
3	Fusarium Ear and Kernel Rot (<i>Fusarium moniliforme</i>)	5
	Gibberella Ear Rot (<i>Gibberella zeae</i>)	
	Other (Specify) _____	

9900382

PH2MW

Application Variety Data

Page 4

Standard Variety Data

11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); (leave blank if not tested) :

Banks grass Mite (*Oligonychus pratensis*)
 Corn Worm (*Helioverpa zea*)
 Leaf Feeding
 Silk Feeding
 mg larval wt.
 Ear Damage
 Corn Leaf Aphid (*Rhopalosiphum maidis*)
 Corn Sap Beetle (*Carpophilus dimidiatus*)
 European Corn Borer (*Ostrinia nubilalis*)
 1st Generation (Typically Whorl Leaf Feeding)
 2nd Generation (Typically Leaf Sheath-Collar Feeding)
 Stalk Tunneling
 cm tunneled/plant
 Fall Armyworm (*Spodoptera frugiperda*)
 Leaf Feeding
 Silk Feeding
 mg larval wt.
 Maize Weevil (*Sitophilus zeamais*)
 Northern Rootworm (*Diabrotica barberi*)
 Southern Rootworm (*Diabrotica undecimpunctata*)
 Southwestern Corn Borer (*Diatraea grandiosella*)
 Leaf Feeding
 Stalk Tunneling
 cm tunneled/plant
 Two-spotted Spider Mite (*Tetranychus urticae*)
 Western Rootworm (*Diabrotica virgifera virgifera*)
 Other (Specify) _____

12. AGRONOMIC TRAITS:

5 Staygreen (at 65 days after anthesis) (Rate on a scale from 1=worst to excellent)
 % Dropped Ears (at 65 days after anthesis)
 % Pre-anthesis Brittle Snapping
 % Pre-anthesis Root Lodging
0.0 Post-anthesis Root Lodging (at 65 days after anthesis)
5,312.5 Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture)

30.01,897.5

13. MOLECULAR MARKERS: (0=data unavailable; 1=data available but not supplied; 2=data supplied):

1 Isozymes0 RFLP's0 RAPD's

COMMENTS (eg. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D):

Application Variety Data

Page 4

Standard Variety Data

13

CLARIFICATION OF DATA IN EXHIBITS B AND C

9900382

Please note the data presented in Exhibit C, "Objective Description of Variety," are collected primarily at Johnston and Ankeny, Iowa. The data in Exhibit B are from comparisons of inbreds grown in the same tests in the adapted growing area of PH2MW and in Johnston and Ankeny, Iowa. The data in Tables 1A and 1B are from paired comparisons collected in Johnston and Ankeny, Iowa. The data in Table 2 are from paired comparisons grown primarily in the adapted growing area of PH2MW. These traits collectively show distinct differences between the two varieties.

The data collected in exhibit C were collected in 1997 and 1998 for page 1 and 2. There are environmental factors that differ from year to year and environment to environment. The environments had different planting dates within each year. Environmental temperature and precipitation differences during the vegetative and grain fill periods can impact plant and grain traits and be a source of variability. These data are mostly based on 5 plants measured at each location. There often is more variability associated with year to year factors than from location to location or within locations. Please see Table 3 for average temperature and rainfall information in 1997 and 1998.

11/2/01
8/24/01

9900382

Table 3. Temperature and Rainfall

TEMPERATURE

YEAR	MAY	JUN	JULY	AUG	AVERAGE
1994	59.8	70.7	71.9	69.0	67.9
1995	56.2	69.4	74.3	76.9	69.2
1996	56.2	69.3	71.3	70.5	66.8
1997	53.5	70.6	74.1	69.6	67.0
1998	64.7	66.6	74.8	73.5	69.9
1999	60.7	69.7	78.7	70.5	69.9

RAINFALL

YEAR	MAY	JUN	JULY	AUG	Total
1994	3.67	5.75	1.71	4.18	15.31
1995	5.04	4.19	2.94	2.87	15.04
1996	8.47	4.35	2.51	2.14	17.47
1997	4.32	3.27	4.10	1.36	13.05
1998	6.46	11.07	5.70	4.96	28.19
1999	6.46	4.54	4.45	6.55	21.85

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

EXHIBIT E
STATEMENT OF THE BASIS OF OWNERSHIP

The following statements are made in accordance with the Privacy Act of 1974 (5 U. S. C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) PIONEER HI-BRED INTERNATIONAL, INC.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME PH2MW
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 7301 NW 62nd AVENUE P.O. BOX 85 JOHNSTON, IA 50131-0085	5. TELEPHONE (include area code) 515-270-4051	6. FAX (include area code) 515-253-2125
7. PVPO NUMBER 9900382		

8. Does the applicant own all rights to the variety? Mark an "X" in appropriate block. If no, please explain ☒ YES ☐ NO

9. Is the applicant (individual or company) a U.S. national or U.S. based company? ☒ YES ☐ NO

If no, give name of country

10. Is the applicant the original owner? ☒ YES ☐ NO If no, please answer one of the following:

a. If original rights to variety were owned by individual(s), is(are) the original owner(s) a U.S. national(s)?

☐ YES ☐ NO If no, give name of country

b. If original rights to variety were owned by a company(ies), is(are) the original owner(s) a U.S. based company?

☒ YES ☐ NO If no, give name of country

11. Additional explanation on ownership (if needed, use reverse for extra space):

PH2MW is owned by Pioneer Hi-Bred International, Inc.

PLEASE NOTE:

Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria:

1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

STD-470-E (07-97) (Destroy previous editions).
Electronic version designed using WordPerfect In Forms by USDA-AMS-IMB